

CRAIG RANCH

STAGE FEATURES





RENTAL PROGRAM

RENTAL STAGE AND EQUIPMENT OPTIONS



STAGELINE SL100

The only compact, all aluminum, lightweight mobile stage unit that meets any and every professional staging need...

Compact and lightweight unit weighs less than 4540kg [1000 lbs].

Deck is fully covered and height can be set anywhere between 1.1 and 1.27 m [3'6" and 4'2"].





1360 kg [3000 lbs] cargo capacity. Easy to install windwall for a rainproof stage. Wind resistance: 80 km/h [50 mph] with gusts up to 110 km/h [70 mph].

Banner ad placement and lower level coverage available



SPECIFICATIONS

STAGELINE SL100 TRAILER

 Length
 10.2 -10.8
 31'4 -35'4"

 Width
 2.43 m
 7'10"

 Height
 3.42 m
 11'3"

Cargo Space 7.3 x 1.7 x 1.7 m 23'10" x 5'6" x 5'6"

Cargo Capacity 1360 kg 3000 lbs Vehicle Weight 4540 kg 10000 lbs

STAGELINE SL100 STAGE FLOOR

Type of Surface Plywood on aluminum

STAGELINE SL100 ROOF

Length and Depth 7.6 x 7.2 m 21'11" x 23'7"
Clearance (inclined roof) 3.8 to 4.3 m 12'5" to 14'1"
Overall Height from Ground (Adjustable) 6 m 19'8"

Type of Surface Fiberglass bonded on aluminum

Load Bearing Capacity + 1725 kg 3800 lbs
4 Built-in Rigging Points 160 kg 350 lbs each
2 Trusses 320 kg each 700 lbs each
1 Front Overhang Truss 227 kg on T2 500 lbs on T2
2 Side overhang Rigging Bars 190 kg at 0.9 m each 425 lbs T 3' each

(sound wings)

1 Rear Overhang Truss 227 kg on T2 500 lbs on T2

STAGELINE SL100 PRACTICAL ASPECTS

Installation Time ++ Based on scope of event

Personnel Required Stagehands
Site Preparation None
Heavy Machinery Required None

Mode of Transportation 1 Pick-up Truck-

Wind Resistance 80 km/h (50 mph), Gusts of 110 km/h (70 mph)

Tailored Windwall Weatherproof, fire-retardant vinyl

Sponsor Visibility Rolling billboard, or multiple banners and advertisement locations

Rigging Bars Retractable

Banner Hardware Compact components easy to install
Platforms Integrated brackets for quick installation