

Southern Nevada Regional Planning Coalition
Regional Fruit and Vegetable Plant List



Approved
January 28, 2014



Acknowledgements

This Regional Fruit and Vegetable Plant List has been assembled by the City of Las Vegas Department of Planning at the direction of Policy FP 1.2.2 of the City of Las Vegas Food Access Policy Guide. Several agencies and individuals played a vital role in the review and provision of information contained within this guide, including the Southern Nevada Regional Planning Coalition's (SNRPC) Regional Urban Forestry Work Group and the University of Nevada Cooperative Extension. Special thanks go to the following individuals for their contributions:

Paul Andricopulos, City of Henderson

Andréa Baker, Southern Nevada Water Authority

Cleto Arceo, NV Energy

Dave Cornoyer, City of Las Vegas

Laura Eisenberg, Nevada Division of Forestry

Elaine Fagin, University of Nevada Cooperative Extension

Robert Morris, University of Nevada Cooperative Extension

Johanna Murphy, City of North Las Vegas

Summer Ortiz, Southern Nevada Water Authority

On the cover: City of Las Vegas Mayor Carolyn G. Goodman, Councilwoman Lois Tarkanian and Councilman Steve Ross attend the grand opening of the Provident Community Garden, 6000 West Oakey Boulevard.

Introduction

The intent of this list is to provide a single, region-wide reference for homeowners and community gardeners to select appropriate plants when planning out their gardens in the Las Vegas area. This list is not intended for commercial crop or food production, as the local soil conditions and water usage of many of these plants hinder large-scale commercial viability.

Best Practices

Gardening in raised beds is a common practice here in Southern Nevada, as native soils contain high salt levels and low amounts of organic matter. Many times gardeners will find that raised beds are easier to create and maintain than to dig in and amend native alkaline soils. Utilizing a layer of organic mulch is strongly recommended in fruit and vegetable gardening to control soil temperatures, conserve water usage and regulate weeds.

Variety Selection

Given the complex climate challenges of Southern Nevada, certain varieties of fruits and vegetables work better than others. When particular varieties of fruit or vegetables are specified, it is because they have been proven to be better, more reliable selections for our region. While other varieties of fruits or vegetables not shown on this list may be available at retail locations, careful research should be conducted to ensure that the chosen plant variety will perform satisfactory in our climate and produce reliable edibles.

| KEY | | | | | | | | | | | | | | | | Harvest Dates, (Notes) |
|------------------------------------------------------------------------------------------------------|----------------------------------------|----------------------------|---------------------------|------------------------|----------------------------------|-----------------|------------------------|--------------------------|------------------------------|-------------------------------|------------------------------|-----------------------|---------------------------------------------------|---------------------|------------------------|------------------------|
| Height, Width and Coverage are at mature growth. | | | | | | | | | | | | | | | | |
| Food Type: <u>B</u> erry, <u>F</u> ruit, <u>H</u> erb, <u>N</u> ut, <u>V</u> egetable, <u>O</u> ther | | | | | | | | | | | | | | | | |
| Type: <u>D</u> eciduous, <u>E</u> vergreen, <u>S</u> emi-evergreen | | | | | | | | | | | | | | | | |
| Growth Rate: <u>S</u> low, <u>M</u> edium, <u>F</u> ast | | | | | | | | | | | | | | | | |
| Water Use: <u>V</u> ery Low, <u>L</u> ow, <u>M</u> edium, <u>H</u> igh | | | | | | | | | | | | | | | | |
| Drought Tolerance: <u>L</u> ow, <u>M</u> edium, <u>H</u> igh | | | | | | | | | | | | | | | | |
| Plant Form: <u>T</u> ree, <u>S</u> hrub, <u>V</u> ine | | | | | | | | | | | | | | | | |
| Exposure: <u>F</u> ull sun, <u>P</u> artial shade, <u>S</u> hade | | | | | | | | | | | | | | | | |
| BOTANICAL NAME | COMMON NAME (In Alphabetical Order) | Height (average) (feet) | Width (average) (feet) | Coverage (sq. feet) | Food Type B, F, H, N, V, O | Type D, E, S | Growth Rate S, M, F | Water Use VL, L, M, H | Drought Tolerance L, M, H | Spines or Thorns Yes or No | Hedge or Screen Yes or No | Plant Form T, S, V | Okay Under Overhead Utility Lines Yes or No | Exposure F, P, S | Harvest Dates, (Notes) | |
| Fruits & Vegetables | | | | | | | | | | | | | | | | |
| <i>Prunus dulcis</i> | Almond | 25 | 20 | 236 | N | D | S | M | M | N | N | T | N | F | | |
| <i>Prunus amygdalus</i> 'All in One' | Almond, All in One | 15 | 10 | 59 | N | D | S | M | M | N | N | T | Y | F | Late Sept-Oct | |
| <i>Prunus amygdalus</i> 'Garden Prince' | Almond, Garden Prince | 10 | 8 | 50 | N | D | S | M | M | N | N | T | Y | F | Late Sept-Oct | |
| <i>Prunus amygdalus</i> 'Nonpareil' | Almond, Nonpareil | 15 | 10 | 59 | N | D | S | M | M | N | N | T | Y | F | | |
| <i>Malus x domestica</i> 'Anna' | Apple, Anna | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | June-July | |
| <i>Malus x domestica</i> 'Dorset Golden' | Apple, Dorset Golden | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | June-July | |
| <i>Malus x domestica</i> 'Ein Shemer' | Apple, Ein Shemer | 15 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | June-July | |
| <i>Malus x domestica</i> 'Fuji' | Apple, Fuji | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | Sept-October | |
| <i>Malus x domestica</i> 'Gala' | Apple, Gala | 15 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | August | |
| <i>Malus x domestica</i> 'Gordon' | Apple, Gordon | 15 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | Aug-Sept | |
| <i>Malus x domestica</i> 'Granny Smith' | Apple, Granny Smith | 15 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | Oct - Nov | |
| <i>Malus x domestica</i> 'Mutsu' | Apple, Mutsu (Crispin) | 15 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | Sept-October | |
| <i>Malus x domestica</i> 'Pink Lady' | Apple, Pink Lady (Cripps Pink) | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | Oct - Nov | |
| <i>Malus x domestica</i> 'White Winter Pearmain' | Apple, White Winter Pearmain | 15 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | Sept-October | |
| <i>Malus x domestica</i> 'Yellow Newton Pippin' | Apple, Yellow Newton Pippin | 15 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | Oct - Nov | |
| <i>Prunus armeniaca</i> 'Blenheim' | Apricot, Blenheim (Royal) | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | June-July | |
| <i>Prunus armeniaca</i> 'Canadian White Blenheim' | Apricot, Canadian White Blenheim | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | July-August | |
| <i>Prunus armeniaca</i> 'Chinese' | Apricot, Chinese | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | June | |
| <i>Prunus armeniaca</i> 'Early Golden' | Apricot, Early Golden | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | May-June | |
| <i>Prunus armeniaca</i> 'Flora Gold' | Apricot, Flora Gold | 15 | 10 | 59 | F | D | M | H | L | N | N | T | Y | F | June | |
| <i>Prunus armeniaca</i> 'Gold Kist' | Apricot, Gold Kist | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | June | |
| <i>Prunus armeniaca</i> 'Katy' | Apricot, Katy | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | May-June | |
| <i>Prunus armeniaca</i> 'Moorpark' | Apricot, Moorpark | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | July | |
| <i>Prunus armeniaca</i> 'Royal Rosa' | Apricot, Royal Rosa | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | May-June | |
| <i>Prunus persica</i> 'Snow Queen' | Apricot, Snow Queen | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June | |
| <i>Prunus</i> 'Flavor Delight' | Aprrium, Flavor Delight | 15 | 15 | 133 | F | D | M | H | L | N | N | T | Y | F | May-June | |
| <i>Cynara scolymus</i> | Artichoke | 4 | 6 | n/a | V | n/a | M | H | L | N | N | S, V | Y | P | Spring | |
| <i>Eruca vesicaria</i> | Arugula | 1 | .5 | n/a | V | n/a | M | H | L | N | N | S | Y | F | | |
| <i>Brassica sp.</i> | Asian Greens | 1 | 1 | n/a | V | n/a | F | H | L | N | N | S | Y | P | | |
| <i>Asparagus officinalis</i> | Asparagus | .5 | n/a | n/a | V | n/a | M | H | L | N | N | S | Y | F | Early Spring | |
| <i>Ocimum basilicum</i> | Basil | 1 | 1 | n/a | H | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Phaseolus vulgaris</i> | Beans, Snap | 2 | n/a | n/a | V | n/a | F | H | L | N | N | S, V | Y | F | (Amended soil) | |
| <i>Beta Vulgaris</i> | Beet | 1 | 1 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Rubus fruticosus</i> 'Rosborough' | Blackberry, Rosborough | 6 | 1 | n/a | B | D | M | H | L | Y | N | S, V | Y | P | July-August | |
| <i>Rubus fruticosus</i> 'Womack' | Blackberry, 'Womack' | 4 | 1 | n/a | B | D | M | H | L | Y | N | S, V | Y | P | July-August | |
| <i>Brassica ruvo</i> | Broccoli | 2 | 2 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Brassica oleracea</i> | Brussels Sprouts | 2 | 1.5 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Brassica rapasp.</i> | Cabbage/Kale | 1 | 2 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Brassica pekinensis</i> | Cabbage, Chinese | 1 | 1 | n/a | V | n/a | M | H | L | N | N | S | Y | F | | |
| <i>Daucus carota</i> | Carrot | 1 | 0.5 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Brassica sp.</i> | Cauliflower | 2 | 2.5 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Apium graveolens sp.</i> | Celery | 1 | .5 | n/a | V | n/a | M | H | L | N | N | S | Y | F | (Very high water) | |
| <i>Apium graveolens sp.</i> | Celery Root | 1 | 1 | n/a | O | n/a | M | H | L | N | N | S | Y | F | (Very high water) | |
| <i>Coriandrum sativum</i> | Cilantro | 1 | 1 | n/a | H | n/a | M | H | L | N | N | S | Y | F | | |
| <i>Cucurbit sativus</i> | Cucumber | 4 | 1 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Anethum graveolens</i> | Dill | 3 | 1.5 | n/a | H | n/a | M | H | L | N | N | S | Y | F | | |
| <i>Solanum melongena</i> | Eggplant | 2 | 3 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Cichorium endivia</i> | Endive | 1 | 1 | n/a | V | n/a | M | H | L | N | N | S | Y | F, P | | |
| <i>Ficus carica</i> | Fig | 20 | 20 | 236 | F | D | M | M, H | L, M | N | N | T | N | F | | |
| <i>Ficus carica</i> 'Black Mission' | Fig, Black Mission | 25 | 25 | 368 | F | D | F | M, H | L, M | N | N | T | N | F | August-Nov | |
| <i>Ficus carica</i> 'Janice' | Fig, Janice | 25 | 25 | 368 | F | D | F | M, H | L, M | N | N | T | N | F | August-Nov | |
| <i>Ficus carica</i> 'Kadota' | Fig, Kadota | 25 | 25 | 368 | F | D | F | M, H | L, M | N | N | T | N | F | August-Nov | |
| <i>Allium ursinum</i> | Garlic | 1 | .5 | n/a | V | n/a | M | H | L | N | N | S | Y | F | | |
| <i>Allium tuberosum</i> | Garlic Chives | 1 | .5 | n/a | H | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Vitis sp.</i> | Grape | 10 | 10 | 59 | F | D | M | L | M | N | Y | V | Y | F, P | | |
| <i>Vitis</i> 'Blush' | Grape, Blush | 10 | 10 | 59 | F | D | M | L | M | N | Y | V | Y | F, P | | |
| <i>Vitis</i> 'Black Monukka Seedless' | Grape, Black Monukka Seedless | 10 | 10 | 59 | F | D | M | L | M | N | Y | V | Y | F, P | | |
| <i>Vitis</i> 'Fantasy' | Grape, Fantasy Seedless | 10 | 10 | 59 | F | D | F | L | M | N | Y | V | Y | F, P | | |
| <i>Vitis</i> 'Flame' | Grape, Flame Seedless | 10 | 10 | 59 | F | D | F | L | M | N | Y | V | Y | F, P | | |
| <i>Vitis</i> 'Harmony' | Grape, Harmony | 10 | 10 | 59 | F | D | M | L | M | N | Y | V | Y | F, P | | |
| <i>Vitis</i> 'Himrod' | Grape, Himrod Seedless | 10 | 10 | 59 | F | D | M | L | M | N | Y | V | Y | F, P | | |

| KEY | | | | | | | | | | | | | | | | Harvest Dates, (Notes) |
|------------------------------------------------------------------------------------------------------|---------------------------------------------|----------------------------|---------------------------|------------------------|----------------------------------|-----------------|------------------------|--------------------------|------------------------------|-------------------------------|------------------------------|-----------------------|---------------------------------------------------|---------------------|------------------------|------------------------|
| Height, Width and Coverage are at mature growth. | | | | | | | | | | | | | | | | |
| Food Type: <u>B</u> erry, <u>F</u> ruit, <u>H</u> erb, <u>N</u> ut, <u>V</u> egetable, <u>O</u> ther | | | | | | | | | | | | | | | | |
| Type: <u>D</u> eciduous, <u>E</u> vergreen, <u>S</u> emi-evergreen | | | | | | | | | | | | | | | | |
| Growth Rate: <u>S</u> low, <u>M</u> edium, <u>F</u> ast | | | | | | | | | | | | | | | | |
| Water Use: <u>V</u> ery Low, <u>L</u> ow, <u>M</u> edium, <u>H</u> igh | | | | | | | | | | | | | | | | |
| Drought Tolerance: <u>L</u> ow, <u>M</u> edium, <u>H</u> igh | | | | | | | | | | | | | | | | |
| Plant Form: <u>T</u> ree, <u>S</u> hrub, <u>V</u> ine | | | | | | | | | | | | | | | | |
| Exposure: <u>F</u> ull sun, <u>P</u> artial shade, <u>S</u> hade | | | | | | | | | | | | | | | | |
| BOTANICAL NAME | COMMON NAME (In Alphabetical Order) | Height (average) (feet) | Width (average) (feet) | Coverage (sq. feet) | Food Type B, F, H, N, V, O | Type D, E, S | Growth Rate S, M, F | Water Use VL, L, M, H | Drought Tolerance L, M, H | Spines or Thorns Yes or No | Hedge or Screen Yes or No | Plant Form T, S, V | Okay Under Overhead Utility Lines Yes or No | Exposure F, P, S | Harvest Dates, (Notes) | |
| Fruites & Vegetables (continued) | | | | | | | | | | | | | | | | |
| <i>Vitis</i> 'Perlette' | Grape, Perlette Seedless | 10 | 10 | 59 | F | D | M | L | M | N | Y | V | Y | F, P | | |
| <i>Vitis</i> 'Primitivo' | Grape, Primitivo | 10 | 10 | 59 | F | D | M | L | M | N | Y | V | Y | F, P | | |
| <i>Vitis</i> 'Summer Muscat' | Grape, Summer Muscat | 10 | 10 | 59 | F | D | M | L | M | N | Y | V | Y | F, P | | |
| <i>Vitis</i> 'Thompson Seedless' | Grape, Thompson Seedless | 10 | 10 | 59 | F | D | M | L | M | N | Y | V | Y | F, P | | |
| <i>Vitis</i> 'Zinfandel' | Grape, Zinfandel | 10 | 10 | 59 | F | D | M | L | M | N | Y | V | Y | F, P | | |
| <i>Armoracia rusticana</i> | Horseradish | 2 | 3 | n/a | O | E | M | H | L | N | N | S | Y | F | (Invasive) | |
| <i>Ziziphus jujuba</i> | Jujube, Chinese Date | 25 | 20 | 236 | F | D | S | M | M | N | Y | T | N | F | | |
| <i>Brassica oleracea</i> | Kale and Collards | 1.5 | 1.5 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Brassica oleracea</i> var. <i>gongyloides</i> | Kohlrabi | 1 | .5 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Laurus nobilis</i> | Laurel, Bay | 12 | 12 | 85 | H | E | M, F | M | M | N | Y | S | Y | F | | |
| <i>Allium porrum</i> | Leek | 2 | .5 | n/a | V | n/a | F | H | L | N | N | S | Y | F, P | | |
| <i>Cymbopogon citratus</i> | Lemon Grass | 4 | 3 | n/a | H | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Lactuca sativa</i> | Lettuce | .5 | .5 | n/a | V | n/a | M | H | L | N | N | S | Y | F, P | | |
| <i>Valerianella locusta</i> | Mache | .5 | .5 | n/a | V | n/a | M | H | L | N | N | S | Y | F | | |
| <i>Cucumis melo</i> | Melon, Cantaloupe, Honeydew | 1 | 10 | n/a | F | n/a | M | H | L | N | N | V | Y | F | | |
| <i>Cucumis melo</i> | Muskmelon | 1 | 10 | n/a | F | n/a | F | H | L | N | N | V | Y | F | | |
| <i>Brassica juncea</i> | Mustard | 1 | .5 | n/a | H | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Prunus persica</i> 'Artic Glo' | Nectarine, Artic Glo | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June-July | |
| <i>Prunus persica</i> 'Artic Rose' | Nectarine, Artic Rose | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June-July | |
| <i>Prunus persica</i> 'Artic Star' | Nectarine, Artic Star | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June | |
| <i>Prunus persica</i> 'Desert Dawn' | Nectarine, Desert Dawn | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | May | |
| <i>Prunus persica</i> 'Desert Delight' | Nectarine, Desert Delight | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June | |
| <i>Prunus persica</i> 'Double Delight' | Nectarine, Double Delight | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | July | |
| <i>Prunus persica</i> 'Goldmine' | Nectarine, Goldmine | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | August | |
| <i>Prunus persica</i> 'Liz's Late' | Nectarine, Liz's Late | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | Aug-Sept | |
| <i>Prunus persica</i> 'Panamint' | Nectarine, Panamint | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | July-Aug | |
| <i>Abelmoschus esculentus</i> | Okra | 6 | 2 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Allium cepa</i> | Onion | .5 | .5 | n/a | V | n/a | M | H | L | N | N | S | Y | F, P | | |
| <i>Petroselinum crispum</i> | Parsley | 1 | 1 | n/a | H | n/a | F | H | L | N | N | S | Y | F, P | | |
| <i>Pastinaca sativa</i> | Parsnip | 1 | .5 | n/a | V | n/a | M | H | L | N | N | S | Y | F | | |
| <i>Pisum sativum</i> | Pea | 6 | .5 | n/a | V | n/a | F | H | L | N | N | V | Y | F | | |
| <i>Prunus persica</i> | Peach, Nectarine | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | | |
| <i>Prunus persica</i> 'Artic Supreme' | Peach, Artic Supreme | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | July-Aug | |
| <i>Prunus persica</i> 'Babcock' | Peach, Babcock White | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | July | |
| <i>Prunus persica</i> 'Bonanza' | Peach, Bonanza Miniature | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June | |
| <i>Prunus persica</i> 'Desert Gold' | Peach, Desert Gold | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | May-June | |
| <i>Prunus persica</i> 'Earlitreat' | Peach, Earlitreat | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | May | |
| <i>Prunus persica</i> 'Early Amber' | Peach, Early Amber | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June | |
| <i>Prunus persica</i> 'Early Elberta' | Peach, Early Elberta | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June-July | |
| <i>Prunus persica</i> 'Elberta' | Peach, Elberta | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | July-Aug | |
| <i>Prunus persica</i> 'Eldorado' | Peach, Eldorado Miniature | 4 | 4 | 13 | F | D | F | H | L | N | N | S | Y | F | May-June | |
| <i>Prunus persica</i> 'Eva's Pride' | Peach, Eva's Pride | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June-July | |
| <i>Prunus persica</i> 'Flordaprince' | Peach, Flordaprince | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | May-June | |
| <i>Prunus persica</i> 'May Pride' | Peach, May Pride | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | May-June | |
| <i>Prunus persica</i> 'Mid Pride' | Peach, Mid Pride | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | July | |
| <i>Prunus persica</i> 'Pix Zee' | Peach, Pix Zee Miniature | 6 | 5 | 20 | F | D | F | H | L | N | N | T | Y | F | June-July | |
| <i>Prunus persica</i> 'Red Baron' | Peach, Red Baron | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | July-Aug | |
| <i>Prunus persica</i> 'Redhaven' | Peach, Redhaven | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June-July | |
| <i>Prunus persica</i> 'Starks Saturn' | Peach, Starks Saturn, Donut, Saucer, Peento | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June-July | |
| <i>Prunus persica</i> 'Strawberry Free' | Peach, Strawberry Free White | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June-July | |
| <i>Prunus persica</i> 'Tropic Snow' | Peach, Tropic Snow White | 12 | 10 | 59 | F | D | F | H | L | N | N | T | Y | F | June | |
| <i>Arachis hypogaea</i> | Peanut | 2 | 1 | n/a | N | n/a | M | H | L | N | N | S | Y | F | | |
| <i>Pyrus communis</i> 'Bartlett' | Pear, Bartlett | 30 | 15 | 133 | F | D | M | H | L | N | N | T | N | F | August | |
| <i>Pyrus communis</i> 'Cornice' | Pear, Cornice | 30 | 15 | 133 | F | D | M | H | L | N | N | T | N | F | Sept-Oct | |
| <i>Pyrus communis</i> | Pear, European | 30 | 15 | 133 | F | D | M | H | L | N | N | T | N | F | | |
| <i>Pyrus communis</i> 'Hood' | Pear, Hood | 30 | 15 | 133 | F | D | M | H | L | N | N | T | N | F | July-Aug | |
| <i>Pyrus communis</i> 'Kieffer' | Pear, Kieffer | 30 | 15 | 133 | F | D | M | H | L | N | N | T | N | F | Sept-Oct | |
| <i>Pyrus communis</i> 'Monterrey' | Pear, Monterrey | 30 | 15 | 133 | F | D | M | H | L | N | N | T | N | F | Aug-Sept | |
| <i>Pyrus communis</i> 'Red Bartlett' | Pear, Red Bartlett | 30 | 15 | 133 | F | D | M | H | L | N | N | T | N | F | Aug-Sept | |

| KEY | | Height (average) | Width (average) | Coverage | Food Type | Type | Growth Rate | Water Use | Drought Tolerance | Spines or Thorns | Hedge or Screen | Plant Form | Okay Under Overhead Utility Lines | Exposure | Harvest Dates, (Notes) | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|------------------|-----------------|------------|------------------|---------|-------------|---------------|-------------------|------------------|-----------------|------------|-----------------------------------|----------|------------------------|--|
| HEIGHT, WIDTH and COVERAGE are at mature growth. FOOD TYPE: Berry, Fruit, Herb, Nut, Vegetable, Other TYPE: Deciduous, Evergreen, Semi-evergreen GROWTH RATE: Slow, Medium, Fast WATER USE: Very Low, Low, Medium, High DROUGHT TOLERANCE: Low, Medium, High PLANT FORM: Tree, Shrub, Vine EXPOSURE: Full sun, Partial shade, Shade | | (feet) | (feet) | (sq. feet) | B, F, H, N, V, O | D, E, S | S, M, F | V, L, L, M, H | L, M, H | Yes or No | Yes or No | T, S, V | Yes or No | F, P, S | | |
| Fruits & Vegetables (continued) | | | | | | | | | | | | | | | | |
| <i>Pyrus pyrifolia</i> 'Shinseiki' | Pear, Shinseiki Asian | 12 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | July-Aug | |
| <i>Pyrus pyrifolia</i> 'Twentieth Century' | Pear, Twentieth Century Asian | 12 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | August | |
| <i>Capsicum annuum</i> | Pepper | 2 | 1.5 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Diospyros kaki</i> | Persimmon | 15 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | | |
| <i>Diospyros kaki</i> 'Fuyu' | Persimmon, Fuyu/Jiro | 15 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | Oct-Nov | |
| <i>Diospyros kaki</i> 'Hachiya' | Persimmon, Hachiya | 15 | 12 | 85 | F | D | M | H | L | N | N | T | Y | F | Nov-Dec | |
| <i>Pistacia vera</i> | Pistachio Nut | 20 | 20 | 236 | N | D | M | M | M | N | N | T | Y | F | | |
| <i>Prunus sp.</i> | Plum | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | | |
| <i>Prunus salicina</i> 'Beauty' | Plum, Beauty | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | June | |
| <i>Prunus salicina</i> 'Burbank' | Plum, Burbank | 10 | 10 | 59 | F | D | M | M | M | N | N | T | Y | F | July-Aug | |
| <i>Prunus salicina</i> 'Elephant Heart' | Plum, Elephant Heart | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | Aug-Sept | |
| <i>Prunus salicina</i> 'Emerald Beaut' | Plum, Emerald Beaut | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | Aug-Oct | |
| <i>Prunus salicina</i> 'Mariposa' | Plum, Mariposa | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | July-Aug | |
| <i>Prunus salicina</i> 'Santa Rosa' | Plum, Santa Rosa | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | June-July | |
| <i>Prunus salicina</i> 'Weeping Santa Rosa' | Plum, Weeping Santa Rosa | 8 | 8 | 50 | F | D | M | M | M | N | N | T | Y | F | June-July | |
| <i>Prunus armeniaca x domestica</i> 'Flavor King' | Pluot® , Flavor King | 12 | 12 | 85 | F | D | M | M | M | N | N | T | Y | F | Aug-Sept | |
| <i>Prunus armeniaca x domestica</i> 'Flavor Queen' | Pluot® , Flavor Queen | 12 | 12 | 85 | F | D | M | M | M | N | N | T | Y | F | July-Aug | |
| <i>Punica sp.</i> | Pomegranate | 20 | 15 | 133 | F | D | M | M | M | N | N | T, S | Y | F | | |
| <i>Punica granatum</i> 'Eversweet' | Pomegranate, Eversweet | 8 | 8 | 50 | F | D | M | M | M | N | N | T, S | Y | F | Summer-Fall | |
| <i>Punica granatum</i> 'Sweet' | Pomegranate, Sweet | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | Late Summer | |
| <i>Punica granatum</i> 'Wonderful' | Pomegranate, Wonderful | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | | |
| <i>Solanum tuberosum</i> | Potato | 2 | 2 | n/a | V | D | M | H | L | N | N | S | Y | F | | |
| <i>Prunus x domestica</i> 'French Improved' | Prune, French Improved | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | August | |
| <i>Prunus x domestica</i> 'Italian' | Prune, Italian | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | Aug-Sept | |
| <i>Prunus x domestica</i> 'Sugar' | Prune, Sugar | 15 | 15 | 133 | F | D | M | M | M | N | N | T | Y | F | August | |
| <i>Cucurbita pepo</i> | Pumpkin | 2 | 30 | n/a | V | n/a | F | H | L | N | N | V | Y | F | | |
| <i>Cydonia oblonga</i> | Quince | 15 | 15 | 133 | F | D | S | M, H | L, M | N | N | T | Y | F | | |
| <i>Cydonia oblonga</i> 'Orange' | Quince, Orange | 15 | 15 | 133 | F | D | S | M, H | L, M | N | N | T | Y | F | | |
| <i>Cydonia oblonga</i> 'Pineapple' | Quince, Pineapple | 15 | 15 | 133 | F | D | S | M, H | L, M | N | N | T | Y | F | | |
| <i>Raphanus sativus</i> | Radish | 1.5 | .5 | n/a | V | n/a | F | H | L | N | N | S | Y | P | | |
| <i>Rosmarinus officinalis</i> | Rosemary | 4 | 6 | 28 | H | E | M, F | L, M | M | N | N | S | Y | F, P | | |
| <i>Brassica napus</i> | Rutabaga | 1 | 1 | n/a | V | n/a | M | H | L | N | N | S | Y | F | (needs cold) | |
| <i>Tragopogon porrifolius</i> | Salsify | 2 | 1 | n/a | V | n/a | F | H | L | N | N | S | Y | F, P | | |
| <i>Allium cepa</i> | Shallot | 1 | .5 | n/a | V | n/a | M | H | L | N | N | S | Y | F | | |
| <i>Spinacia oleracea</i> | Spinach | .5 | 1 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Fragaria</i> 'Lassen' | Strawberry, Lassen | .5 | .5 | n/a | B | n/a | F | H | L | N | N | S | Y | F, P | Spring, Fall | |
| <i>Fragaria</i> 'Shasta' | Strawberry, Shasta | .5 | .5 | n/a | B | n/a | F | H | L | N | N | S | Y | F, P | June-July | |
| <i>Cucurbita pepo</i> | Squash, Summer/Winter | 1 | 15 | n/a | V | n/a | F | H | L | N | N | V | Y | F | | |
| <i>Helianthus annuus</i> | Sunflower, Common | 5 | 2 | n/a | O | n/a | F | M | L | N | N | S | Y | F | | |
| <i>Ipomoea batatas</i> | Sweet Potato | 2 | 5 | n/a | V | n/a | F | H | L | N | N | S, V | Y | F | | |
| <i>Beta vulgaris</i> | Swiss Chard | 1 | 1 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Physalis ixocarpa</i> | Tomatillo | 3 | 4 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Lycopersicon sp.</i> | Tomato | 8 | 4 | n/a | V | n/a | F | H | L | N | N | S, V | Y | F | | |
| <i>Brassica rapa</i> | Turnip | .5 | .5 | n/a | V | n/a | F | H | L | N | N | S | Y | F | | |
| <i>Juglans rupestris major</i> | Walnut, Nogal/Arizona Walnut | 40 | 30 | 530 | N | D | M | M | M | N | N | T | N | F | | |
| <i>Citrullus lanatus</i> | Watermelon | 1 | 15 | n/a | F | n/a | M | H | L | N | N | V | Y | F | | |

This page left blank intentionally.

